

**IN THE CLAIMS**

Please amend the claims as follows:

1. (Currently Amended) A grille shelter comprising:  
  
a housing adapted to enclose a cooking grille comprising a rear wall, a first side wall and a second side wall said first and second side walls each having a rear edge connected to an end of said rear wall and a forward edge, said rear wall and first and second side walls each having a bottom edge adapted to support said housing on a base surface;  
  
a roof member pivotally connected to a top edge of said housing;  
  
at least one ~~pivoting~~ panel pivotally connected to a forward edge of at least one of said side walls; and  
  
wherein said at least one pivoting panel is moveable between a first ~~(open)~~ position wherein it is open and a second ~~(closed)~~ position wherein it is closed.  
  
2. (Original) The grille shelter of claim 1, wherein said roof member is moveable between a first position and a second position.  
  
3. (Original) The grille shelter of claim 1, further comprising a platform configured to attach to the housing whereby the grille shelter is secured from toppling in adverse weather or during use.  
  
4. (Currently Amended) The grille shelter of claim 1, wherein said roof member is further connected to said housing by at least one support member that ~~may include a typical~~ includes a hydraulic or pneumatic cylinder member ~~that may be~~ connected to at least one of said first and second side walls.

Response Under 37 C.F.R. §1.111  
Serial No. 10/707,406  
Page 2 of 8

5. (Original) The grille shelter of claim 2, wherein said roof member is held in said first position by at least one support member.
6. (Original) The grille shelter of claim 1, further comprising at least one accessory consisting of at least one of the following: hooks, lamps, and shelves.
7. (Original) The grille shelter of claim 1, further comprising a handle attached to said roof member.
8. (Original) The grille shelter of claim 7, further comprising a pull cord connected to said handle.
9. (Original) The grille shelter of claim 1, further comprising a pull cord connected to said roof member.
10. (Original) The grille shelter of claim 1, wherein said pivoting panels comprises a first section and a second section substantially perpendicular to said first section.
11. (Original) The grille shelter of claim 10, wherein said first section and said second section are pivotally connected.
12. (Currently Amended) A grille shelter comprising:
  - a rear wall;
  - a first and second side walls affixed ~~connected~~ to opposing ends of said rear wall at right angles thereto said rear wall and first and second side walls adapted to support said shelter upright on a base surface;
  - a roof member pivotally connected to a top edge of said rear wall;
  - ~~at least one~~ first and second pivoting panel panels each connected, to at ~~least one~~ a forward edge of one of said side walls; ~~[[and]]~~

wherein each of said at least one pivoting panel panels is moveable between an open a first position and a closed second position and said roof member is moveable between an open a first position and a closed an second position[[.]];

wherein a user may use a grille located in said shelter to cook when said roof member and said front wall are in said open positions; and

wherein said grille is sheltered from the elements when said roof and panels are in the closed position.

13. (Cancel)
14. (Original) The grille shelter of claim 12, further comprising at least one support member connected to said roof member and at least one of said first and second side walls.
15. (Original) The grille shelter of claim 12, further comprising a handle attached to said roof member.
16. (Original) The grille shelter of claim 12, further comprising a pull cord attached to said handle.
17. (Original) The grille shelter of claim 12, further comprising at least one accessory item mounted to an interior surface of the grille shelter.
18. (Original) The grille shelter of claim 12, wherein said first and second pivoting panels comprises a first section and a second section substantially perpendicular to said first section.
19. (Original) The grille shelter of claim 18, wherein said first section and said second sections are pivotally connected.